

Instructions for Use

Codling Moth Pheromone Trapping Kit

Contents

- 1 x Red Correx Delta Trap
- 1 x Wire Hanger
- 2 x Sticky Wet Glue Inserts
- 2 x Codling Moth Pheromone Lures
- 1 x Directions for Use


Directions for Use



The Delta Trap is recommended to trap and monitor Codling Moth (*Cydia pomonella*). This insect. The traps should be placed in the orchard before the first moths normally appear and maintained till the end of the season. This can be Mid-June to July and again late Autumn. The traps should be placed at head height within the tree canopy and located centrally within the orchard. One trap can be used for up to 5 trees. The sticky inserts should normally be changed when the lures are changed after 6 weeks. In situations where high insect catches or dusty

conditions have led to the deterioration of the glue surface the inserts should be changed. The pheromone lures will only catch male moths. If you are catching more than 15 moths per week the infestation is high and a suitable spray should be applied a week later. Continue monitoring and if again 15 or more moths are caught repeat the treatment.

Assembly



Push folded edges together

1. Flatten base to form delta or triangular shape
2. & 3. Fold up one end of the floor and lock the tabs into the slots in the roof
4. Attach support wire into the pre-cut holes in ridge
5. Insert glue sheet with pheromone lure (supplied separately) into the open end
6. Fold up the second floor end and lock the tabs into the slots

Storage Instructions

The pheromone lures are sealed in impermeable packaging for storage and shipping. Keep away from direct sunlight, heat, sparks and open flames. Keep the pheromone dispensers inside their sealed packaging until required.

Remove the trap once no further moths are being caught or at the end of September and dispose of the lure and sticky insert. The trap can be cleaned and stored for use next season.